

A division of Providence Health Assurance

PROVIDENCE MEDICARE ADVANTAGE PLANS

2022 STEP THERAPY CRITERIA FOR PART B DRUGS

This list pertains to the following Providence Medicare Advantage Plans:

BRIDGE 1 + Rx (HMO-POS), BRIDGE 2 + Rx (HMO-POS), CHOICE + Rx 001 (HMO-POS), CHOICE + Rx 002 (HMO-POS), COMPASS + Rx (HMO-POS), COTTONWOOD + Rx (HMO-POS), DUAL PLUS (HMO D-SNP), ENRICH + Rx (HMO), EXTRA PART B ONLY + Rx (HMO), EXTRA + Rx 001 (HMO), EXTRA + Rx 002 (HMO), FOCUS MEDICAL (HMO), HARBOR + Rx (HMO), LATITUDE +Rx (HMO-POS), PINE + Rx (HMO), PRIME + Rx (HMO), SELECT MEDICAL (HMO-POS), SUMMIT + Rx (HMO-POS), TIMBER + Rx (HMO), ALIGN GROUP PLANS + RX (HMO), DISCOVER GROUP PLAN + RX (HMO-POS), EXPLORE GROUP PLAN + RX (HMO-POS)

Last Updated 1/3/2022

For more recent information or other questions, please contact Providence Health Assurance Customer Service at 503-574-8000 or 1-800-603-2340 (TTY users should call 711), seven days a week, between 8 a.m. and 8 p.m. (Pacific Time), or visit ProvidenceHealthAssurance.com.

Medicare Part B Step Therapy

- Some medically administered Part B medications, like injectable drugs or biologics, may have special requirements or coverage limits, such as step therapy.
- Step therapy requires a trial of a preferred drug to treat a medical condition before covering a non-preferred drug.
- The step therapy requirement does not apply to members who have already received treatment with the non-preferred drug within the past 365 days.
- Both preferred and non-preferred drugs may still be subject to prior authorization or quantity limits.
- The step therapy criteria outlined in this document may also involve a combination of Part B and Part D drugs. For example, we may not cover a Part B drug unless you try a Part D drug first. Or, we may not cover a Part D drug unless you try a Part B drug first. This is dependent on the therapy described to treat your medical condition. This document contains the Step Therapy protocols for Medicare Part B drugs that are associated with your plan.

How Step Therapy Works

In the list below, you'll see drugs labeled as either Step 1 (Preferred drug), Step 2 (Non-Preferred drug) or Step 3 (Non-Preferred drug). Step 2 and Step 3 drugs require step therapy. For example: Before you can get a Step 3 drug, you have to first try a Step 1 and a Step 2 drug.

Step 1 drugs usually require prior authorization. That means before you can take this drug, your doctor has to send us information that explains why you need it. If a Step 1 drug doesn't require prior authorization, we tell you in the list below.

Step 2 drugs always require prior authorization. Your doctor also needs to let us know one of the following:

- Why the Step 1 drug didn't work for you or why you can't take the Step 1 drug
- Why the Step 2 drug is best for your needs
- Details from your doctor to show that you've taken the Step 2 drug in the past 365 days

Step 3 drugs always require prior authorization. Your doctor also needs to let us know one of the following:

- Why the Step 1 and Step 2 drugs didn't work for you or why you can't take them.
- Why the Step 3 drug is best for your needs
- Details from your doctor to show that you've taken the Step 1 and/or the Step 2 drug in the past 365 days

The drugs within this list may change at any time. You will receive notice when necessary.

| 2022 Medicare Part B Step Therapy Drug List *Prior Authorization required | | | | |
|---|------------------------------|------------------------------------|--|--|
| HCPCS CODE | Non-Preferred Drug | Generic name | Prerequisite Drugs | |
| | | Allergy And Asthma | a Agents | |
| J2357 | XOLAIR* | Omalizumab | For Asthma - Step 1: combination of medium/high-dose inhaled corticosteroids AND Step 2: a long-acting inhaled beta2-agonist For Idiopathic urticaria- Step 1: second-generation non-sedating H1 antihistamine AND Step 2: ONE from the following classes: leukotiene receptor antagonists, first generation H1 antihistamine or histamine H2-receptor antagonist For nasal polyps - Step 1: oral systemic corticosteroids OR intranasal corticosteroids | |
| | | Anti-Infective A | gents | |
| J3490 | PREVYMIS* | Letermovir | Step 1: One of the following - GVHD requiring greater than or equal to 1mg/kg/day use of prednisone (or equivalent), or lymphocyte depleting therapy (antithymocyte globulin [ATG], antithymocyte globulin equine [ATGAM], alemtuzumab, fludarabine) Step 2: rationale for not using the oral formulation | |
| | | Endocrine Age | nts | |
| J2502 | SIGNIFOR LAR* | Pasireotide pamoate | Step 1: Octreotide OR Lanreotide SQ Depot* | |
| J1930 | SOMATULINE DEPOT* | Lanreotide acetate | Step 1: Short-acting octreotide | |
| J2353 | SANDOSTATIN LAR DEPOT* | Octreotide acetate, microspheres | Step 1: Short-acting octreotide | |
| J3490 | TESTOPEL* | Testosterone (pellet) | Step 1: Generic topical testosterone 1% and generic testosterone cypionate | |
| J3145 | AVEED* | Testosterone undecanoate | Step 1: Generic topical testosterone 1% and generic testosterone cypionate | |
| | Hereditary Angioedema Agents | | | |
| J0597 | BERINERT* | C1 esterase inhibitor | Step 1: Icatibant syringe* | |
| J0596 | RUCONEST* | C1 esterase inhibitor, recombinant | Step 1: Icatibant syringe* | |
| J1290 | KALBITOR* | Ecallantide | Step 1: Icatibant syringe* | |

^{*}Prior Authorization is required

| HCPCS | Non-Preferred | Generic name | Prerequisite Drugs | |
|-------------------|-----------------|-----------------------|--|--|
| CODE | Drug | | | |
| J0598 | CINRYZE* | C1 esterase inhibitor | For HAE with normal C1-INH or HAE Type III: Step 1: HAEGARDA* | |
| | IL-5 Inhibitors | | | |
| J2786 | CINQAIR* | Reslizumab | For eosinophilic asthma - Step 1: oral glucocorticoids or Step 2: medium to high-dose inhaled corticosteroid plus long-acting inhaled beta2-agonist, leukotriene receptor antagonist | |
| J0517 | FASENRA* | Benralizumab | For eosinophilic asthma - Step 1: oral glucocorticoids or Step 2: medium to high-dose inhaled corticosteroid plus long-acting inhaled beta2-agonist, leukotriene receptor antagonist | |
| J2181 | NUCALA* | Mepolizumab | For eosinophilic asthma - Step 1: oral glucocorticoids or Step 2: medium to high-dose inhaled corticosteroid plus long-acting inhaled beta2-agonist, leukotriene receptor antagonist For EGPA - Step 1: glucocorticoid in combination with an immunosuppressant such as cyclophosphamide, azathioprine, methotrexate or mycophenolate mofetil) Hyperesosinophilic Syndrome (HES) - Step 1: one of the following: corticosteroids, immunosuppressive therapy, cytotoxic therapy | |
| | | Migraine Age | nts | |
| J3032 | VYEPTI* | Eptinezumab-jjmr | Step 1: One of the following categories- Anticonvulsants (i.e, divalproex, valproate, topiramate), Beta-blockers (i.e., metoprolol, propranolol, timolol), Antidepressants (i.e., amitriptyline, venlafaxine) AND, Step 2: TWO preferred CGRP agents (AIMOVIG* and EMGALITY*) | |
| Neurologic Agents | | | | |
| J0202 | LEMTRADA* | Alemtuzumab | Step 1: OCREVUS AND Step 2: One of the following: Interferon-Beta 1a, Interferon-Beta 1b, Generic Dimethyl Fumarate, Copaxone, Tysabri, Aubagio, Gilenya, Vumerity, Zeposia, OR Mayzent | |

^{*}Prior Authorization is required

| HCPCS CODE | Non-Preferred Drug | Generic name | Prerequisite Drugs |
|---------------|-----------------------|------------------------------------|---|
| J1300 | SOLIRIS* | Eculizumab | For gMG – Step 1: TWO immunosuppressive therapies (ie. azathioprine, mycophenolate mofetil, cyclosporine and tacrolimus, corticosteroids) OR ONE immunosuppressive therapy of either IVIg* or plasma exchange For NMOSD: Step 1: a preferred rituximab product (RUXIENCE*, TRUXIMA*) |
| J1823 | UPLIZNA* | Inebilizumab-cdon | For NMOSD: Step 1: a preferred rituximab product (RUXIENCE*, TRUXIMA*) |
| J2323 | TYSABRI* | Natalizumab | For Multiple Sclerosis - Step 1: ONE of the following: Interferon-Beta 1a, Interferon-Beta 1b, Generic Dimethyl Fumarate, Copaxone, Aubagio, Gilenya, Zeposia, Mayzent OR OCREVUS For Crohn's Disease - Step 1: Humira* or preferred infliximab product (RENFLEXIS*, INFLECTRA*) |
| | | Oncology Agei | nts |
| J9035 | AVASTIN* | Bevacizumab | Step 1: ZIRABEV*, MVASI* |
| J9355 | HERCEPTIN* | Trastuzumab | Step 1: KANJINTI*, OGIVRI* |
| Q5112 | ONTRUZANT* | Trastuzumab-dttb | Step 1: KANJINTI*, OGIVRI* |
| J9356 | HERCEPTIN* HYLECTA | Trastuzumab-hyaluronidase- oysk | Step 1: KANJINTI*, OGIVRI* |
| Q5113 | HERZUMA* | Trastuzumab-pkrb | Step 1: KANJINTI*, OGIVRI* |
| Q5116 | TRAZIMERA* | Trastuzumab-qyyp | Step 1: KANJINTI*, OGIVRI* |
| HCPCS CODE | Non-Preferred Drug | Generic name | Prerequisite Drugs |

| Ophthalmic Agents | | | | | |
|-------------------|--------------------|--|--|--|--|
| J7351 | DURYSTA* | Bimatoprost | Two ophthalmic products from TWO different pharmacological classes, one of which is an ophthalmic prostaglandin Step 1 Drugs: Ophthalmic prostaglandins: bimatoprost, latanoprost, travoprost, LUMIGAN, VYZULTA XELPROS Step 2 Drugs: Ophthalmic beta-adrenergic blocking agents: betaxolol, BETIMOL, carteolol, levobunolol, timolol maleate Ophthalmic intraocular pressure lowering agents, other: ALPHAGAN P, apraclonidine, brimonidine tartrate, brinzolamide, dorolamide, methazolamide, PHOSPHOLINE IODIDE, pilocarpine hcl, RHOPRESSA, SIMBRINZA | | |
| J0178 | EYLEA* | Aflibercept | Step 1: Bevacizumab (For Ophthalmology Use) | | |
| J0179 | BEOVU* | Brolucizumab-dbll | Step 1: Bevacizumab (For Ophthalmology Use) And Step 2: Eylea* (Aflibercept) | | |
| J2503 | MACUGEN* | Pegaptanib sodium | Step 1: Bevacizumab (For Ophthalmology Use) And Step 2: Eylea* (Aflibercept) | | |
| J2778 | LUCENTIS* | Ranibizumab | Step 1: Bevacizumab (For Ophthalmology Use) And Step 2: Eylea* (Aflibercept) | | |
| | | Rare Disease A | gents | | |
| J0224 | OXLUMO* | Lumasiran sodium | Step 1: Pyridoxine | | |
| J0791 | ADAKVEO* | Crizanlizumab-tmca | Step 1: Hydroxyurea | | |
| | Rituximab | | | | |
| J9312 | RITUXAN* | Rituximab | For Oncology use - Step 1: a preferred rituximab product (RUXIENCE*, TRUXIMA*) For Rheumatology use - Step 1: Enbrel*, Humira, or preferred infliximab product (RENFLEXIS*, INFLECTRA*) | | |
| J9311 | RITUXAN HYCELA* | Rituximab/hyaluronidase, human recombinant | <u>For Oncology use</u> - Step 1: a preferred rituximab product (RUXIENCE*, TRUXIMA*) | | |
| Q5123 Q5115 | RIABNI* TRUXIMA* | Rituximab-arrx Rituximab-abbs | For Oncology use - Step 1: a preferred rituximab product (RUXIENCE*, TRUXIMA*) For Rheumatology use - Step 1: Enbrel*, Humira*, or a preferred infliximab product (RENFLEXIS*, INFLECTRA*) Step 1: Preferred infliximab product (RENFLEXIS*, INFLECTRA*) | | |
| Q5119 | RUXIENCE* | Rituximab-pvvr | Step 1: Preferred infliximab product (RENFLEXIS*, INFLECTRA*) | | |

| HCPCS | Non-Preferred | Generic name | Prerequisite Drugs | |
|----------------|------------------------------|-----------------------------|---|--|
| CODE | Drug | The area and in large and | | |
| | Therapeutic Immunomodulators | | | |
| J0638 | ILARIS* | Canakinumab/pf | For SJIA and Adult-Onset Still's Disease: Step 1: One of the following conventional therapies (e.g., methotrexate, leflunomide, hydroxychloroquine, sulfasalazine) AND, Step 2: etanercept* And Step 3: adalimumab* For Familial Mediterranean Fever (FMF) — Step 1: Colchicine | |
| J0129 | ORENCIA* | Abatacept/maltose | For Rheumatoid Arthritis and Psoriatic Arthritis – Step 1: At least one conventional therapy (e.g., methotrexate, leflunomide, hydroxychloroquine, sulfasalazine) AND Step 2: a preferred infliximab biosimilar (RENFLEXIS*, INFLECTRA*) | |
| J1745 Q5104 | REMICADE* RENFLEXIS* | Infliximab Infliximab-abda | For Rheumatoid Arthritis and Psoriatic Arthritis – Step 1: At least one conventional therapy (e.g., methotrexate, leflunomide, hydroxychloroquine, sulfasalazine) AND Step 2: a preferred infliximab biosimilar (RENFLEXIS*, INFLECTRA*) For moderate to severe Plaque Psoriasis – Step 1: At least one conventional therapy (e.g., methotrexate tazarotene, topical corticosteroids, calcitriol) AND Step 2: a preferred infliximab biosimilar (RENFLEXIS*, INFLECTRA*) For all other FDA-Approved indications – Step 1: A preferred infliximab biosimilar (RENFLEXIS*, INFLECTRA*) For Rheumatoid Arthritis and Psoriatic Arthritis – Step 1: At least one conventional therapy (e.g., methotrexate, leflunomide, | |
| | | | hydroxychloroquine, sulfasalazine) For moderate to severe plaque psoriasis — Step 1: At least one conventional therapy (e.g., methotrexate, tazarotene, topical corticosteroids, calcitriol) | |
| Q5121 | AVSOLA* | Infliximab-axxq | For Rheumatoid Arthritis and Psoriatic Arthritis – Step 1: At least one conventional therapy (e.g., methotrexate, leflunomide, hydroxychloroquine, sulfasalazine) AND Step 2: a preferred infliximab biosimilar (RENFLEXIS*, INFLECTRA*) For moderate to severe Plaque Psoriasis – Step 1: At least one conventional therapy (e.g., methotrexate tazarotene, topical corticosteroids, calcitriol) AND Step 2: a | |

^{*}Prior Authorization is required

| | | | preferred infliximab biosimilar (RENFLEXIS*, INFLECTRA*) | |
|---------------|------------------------------|--------------------|--|--|
| HCPCS CODE | Non-Preferred Drug | Generic name | Prerequisite Drugs | |
| | Therapeutic Immunomodulators | | | |
| Q5103 | INFLECTRA* | Infliximab-dyyb | For Rheumatoid Arthritis and Psoriatic Arthritis Step 1: At least one conventional therapy (e.g., methotrexate, leflunomide, hydroxychloroquine, sulfasalazine) For moderate to severe plaque psoriasis — Step 1: At least one conventional therapy (e.g., methotrexate, tazarotene, topical corticosteroids, calcitriol) | |
| J3245 | ILUMYA* | Tildrakizumab-asmn | For moderate to severe Plaque Psoriasis – Step 1: At least one conventional therapy (e.g., methotrexate tazarotene, topical corticosteroids, calcitriol) AND Step 2: a preferred infliximab biosimilar (RENFLEXIS*, INFLECTRA*) | |
| J3262 | ACTEMRA* | Tocilizumab | For Rheumatoid Arthritis – Step 1: At least one conventional therapy (e.g., methotrexate, leflunomide, hydroxychloroquine, sulfasalazine) AND Step 2: a preferred infliximab biosimilar (RENFLEXIS*, INFLECTRA*) For Giant cell arteritis – Step 1: At least one conventional therapy (e.g., systemic corticosteroid therapy) | |
| J3380 | ENTYVIO* | Vedolizumab | For Crohn's disease only – Step 1: a preferred infliximab biosimilar (RENFLEXIS*, INFLECTRA*) | |
| J1602 | SIMPONI ARIA* | Golimumab | For Rheumatoid Arthritis and Psoriatic Arthritis – Step 1: At least one conventional therapy (e.g., methotrexate, leflunomide, hydroxychloroquine, sulfasalazine) AND Step 2: a preferred infliximab biosimilar (RENFLEXIS*, INFLECTRA*) For ankylosing spondylitis – Step 1: a preferred infliximab biosimilar (RENFLEXIS*, INFLECTRA*) | |
| J3358 | STELARA* (IV) | Ustekinumab | For Crohn's disease and Ulcerative colitis – Step 1: a preferred infliximab biosimilar (RENFLEXIS*, INFLECTRA*) | |